In patients with HF, declining kidney function is one of the strongest predictors of mortality and worsening outcomes

55%



higher all-cause mortality rates vs in those without CKD

higher risk of hHF in patients with eGFR 30-5<mark>9</mark>

EARLY INTERVENTION IS CRITICAL

In patients with HF, declining kidney function is one of the strongest predictors of mortality and worsening outcomes

~55% of patients with HF have CKD

>2x higher all-cause mortality rates vs in those without CKD

Ø


Up to ~40% higher risk of hHF in patients with eGFR 30-59

M

Declining kidney function is one of the strongest predictors of mortality and worsening outcomes



In patients with HF, Declining kidney function is one of the strongest predictors of mortality and worsening outcomes





EARLY INTERVENTION IS CRITICAL

In patients with HF, Declining kidney function is one of the strongest predictors of mortality and worsening outcomes



~55% of patients with HF have CKD

>2x higher all-cause mortality rates vs in those without CKD

Up to ~40% higher risk of hHF in patients with eGFR 30-59




Declining kidney function is one of the strongest predictors of mortality and worsening outcomes



EARLY INTERVENTION IS CRITICAL

In patients with HF, declining kidney function is one of the strongest predictors of mortality and worsening outcomes





EARLY INTERVENTION IS CRITICAL

In patients with HF, declining kidney function is one of the strongest predictors of mortality and worsening outcomes





higher all-cause mortality rates vs in those without CKD

higher risk of hHF in patients with eGFR 30-59

EARLY INTERVENTION IS CRITICAL